MATERIAL SAFETY DATA SHEET

PRODUCT NAME: TRAFFIC SLAM
CC20

Section 1: Product Information

Distributed By: Bridgepoint Systems, 4282 W 590 W, Salt Lake City, Utah 84123
Company Phone Number: 801-261-1282
Emergency Phone Number: 1-800-535-5053 (Infotrac)
Date Prepared: 4/1/08

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)
Fire: 0 Health: 1 Reactivity: 0

Section 2: Composition / Information or Ingredients

Hazardous Ingredient	CAS	OSHA PEL	OSHA HAZARD
Surfactants	Mixture	N/E	Acute
Tetrapotassium pyrophosphate	73 20-34-5	N/E	Acute

Section 3: Hazard Identification

Emergency Overview

Appearance: Clear yellow liquid **Odor:** Citrus Scent

Flashpoint: >174°F **Hazard:** Irritant

Eye Contact: May cause temporary eye irritation; injury to eye tissue unlikely.
Skin Contact: Frequent or prolonged contact may cause temporary irritation. Skin contact may aggravate an existing dermatitis condition.
Inhalation: May cause temporary irritation.
Ingestion: Small amounts swallowed incidental to normal handling operations are not likely to cause injury; swallowing amounts larger than that may cause temporary injury.

HMIS Hazard Rating: Health 1 Flammability 0 Reactivity 0

Section 4: First Aid Measures

Eye Contact: Immediately irrigate with flowing water continuously for 15 minutes. If irritation persists consult medical personnel.
Skin Contact: Wash with soap and water. If irritation persists consult medical personnel.
Inhalation: Move to fresh air. If irritation persists consult medical personnel.
Ingestion: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If injured party is conscious, give two glasses of water. Seek medical attention.

Section 5: Fire-Fighting Measures

Flashpoint: >174°F
Autoignition Temperature: N/D
Upper Flammable Limit (% by volume): N/A
Lower Flammable Limit (% by volume): N/A
General Hazard: Irritant

Fire Fighting Procedures: Wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

Hazardous Decomposition Products: During a fire, smoke may contain the original material in addition to unidentified toxic and/or irritating compounds. Hazardous combustion products may include and are not limited to carbon dioxide and carbon monoxide.

Section 6: Accidental Release Measures

Keep all unnecessary personnel away. Prevent additional discharge of material. Prevent liquid from entering sewers, watercourses, or low areas. Contain and absorb spilled liquid with sand or earth. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

Section 7: Handling and Storage

Store out of reach of children; keep container closed; store in a cool well-ventilated place away from strong oxidizing or alkaline products. Avoid contact with skin and eyes. Use in a well-ventilated area; do not breathe vapors. Wash hands thoroughly after handling.

Section 8: Exposure Controls / Personal Protection

Engineering Controls: Normal room ventilation is satisfactory for limited use; keep away from heat and flame.
Eye Protection: Safety glasses
Skin Protection: Use gloves impervious to this material when prolonged or frequently repeated contact could occur.
Respiratory: No respiratory protection should be needed.
Exposure guidelines: N/E

Section 9: Physical and Chemical Properties

Appearance/Physical State: Clear yellow liquid
Odor: Citrus scent
Vapor Pressure: N/D
Vapor Density: N/D
Boiling Point: N/D
Freezing Point: N/D
Density: 9.0 lbs. /gal.
Concentrate pH: 11.0 – 12.0
Solubility in Water: Soluble
RTU pH: 9.5 – 10.0

Section 10: Stability and Reactivity

Chemical stability: Stable
Incompatibility with other substances: Strong oxidizing or alkaline agents
Reactivity: Aluminum and other reactive metals
Hazardous Decomposition Products: Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified thermal decomposition products from this product or its packaging.

Section 11: Toxicological Information

Route of Entry: Eye contact, and Skin absorption/contact

Effects of Acute Overexposure to Product:

Eye Contact: May cause temporary eye irritation, redness, tearing, and blurred vision
Skin Contact: May cause temporary skin irritation, defatting and dermatitis
Inhalation: Inhalation of mist or vapor may cause temporary respiratory irritation; temporary central nervous system effects including dizziness, weakness, fatigue, nausea, and headache.
Ingestion: May cause gastrointestinal temporary irritation with nausea, vomiting and diarrhea aspiration into the lungs can cause chemical pneumonitis.

Effects of Chronic Overexposure to Product:

Exposure limits: N/D for mixture
Teratogenicity: None
Reproductive toxicity: None
Sensitization to Product: None known
Mutagenicity: None
Carcinogenicity: None

Section 12: Ecological Information

Please refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting information.

Section 13: Disposal Considerations

Dispose of in accordance with federal, state and local regulations. Prevent run-off to sewers.

Section 14: Transportation Information

Shipping paper description: None
Labeling: None
Markings: None
Placard: None
Packaging: Strong outer packaging. UN specification packaging not required.

Section 15: Regulatory Information

TSCA: All chemicals used in this product are listed
CERCLA: No
SARA Title III: No

Section 16: Other Information

This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.