

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: LEMON CARPET & FABRIC DEODORIZER CD11

SECTION 1: PRODUCT INFORMATION

<u>Distributed By:</u> Bridgepoint Systems, 4282 W 590 W, Salt Lake City, Utah 84123 Company Phone Number: 801-261-1282 Emergency Phone Number: 1-800-535-5053 (Infotrac) Date Prepared: 4/1/08c

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme) Fire: 2 Health: 1 Reactivity: 0

SECTION 2: INGREDIENTS

PRINCIPLE HAZARDOUS INGREDIENTS :

Isopropyl Alcohol The identity of individual components of this mixture is proprietary information and is regarded to be trade

Polar Solvent secret.

SECTION 3: PHYSICAL DATA

Boiling Point (°F).....N/D Vapor Pressure (mmHg.)....N/D Vapor Density (AIR=1)....N/D Solubility in Water.....Complete Specific Gravity(H₂O=1)......1 Percent Volatile by Volume... N/D PH (1% Solution)......6.5

Appearance & Odor.....Pale yellow liquid with lemon odor

SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: 128°F (closed cup) Extinguishing Media: Carbon dioxide, dry foam, water spray Special Fire Fighting Procedures: None Unusual Fire and Explosion Hazards: None Stability: Stable Chemical Incompatibility: None known Hazardous Decomposition or Byproducts: None known Hazardous Polymerization: Will not occur Conditions to Avoid: None known

PRODUCT NAME.....LEMON DEODORIZER CD11 page 2

SECTION 5: HEALTH HAZARD INFORMATION

Route(s) of entry	Eyes? no Skin? no Inhalation? no Ingestion? yes
Health Hazards:	Eyes - Irritation likely upon direct contact
	Skin - May cause irritation
	Inhalation - None
	Ingestion - Irritation likely
Carcinoginicity:	NTP? no OSHA? no IARC Monograph? no

SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

Eyes	Flush with water for 15 minutes. If irritation persists, get medical attention
Skin	Flush with water
Inhalation	Remove to fresh air
Ingestion	Give large amounts of water and induce vomiting. Get medical attention.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection	None
Protective Clothing	Rubber gloves and splash proof goggles recommended
Ventilation	Mechanically assisted ventilation may be required
Storage	Store in closed container when not in use

SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Contain with chemical absorbent material. Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. Larger quantities should be collected for reuse or consigned to a licensed hazardous waste hauler for disposal in accordance with federal, state and local regulations. <u>All</u> **disposal** <u>must be</u> in accordance with all federal, state and local regulations.

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not applicable N/D = Not determined N/E = Not established