# MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ANILINE DYE CL228 – CL240

# **SECTION 1: PRODUCT INFORMATION**

Distributed By: Bridgepoint Systems, 542 West Confluence Ave, Salt Lake City, Utah 84123

Company Phone Number: 801-261-1282

Emergency Phone Number: 1-800-535-5053 (Infotrac)

Date Prepared: 4-9-05 c

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

Fire: Health: Reactivity:

## 2. COMPOSITION/ INFORMATION ON INGREDIENTS

Component	CAS#	% By Wt.	<b>Exposure Limits</b>
Methoxypropanol	107-98-2	20 - 40	100ppm TWA, 150ppm STEL

# 3. HAZARD IDENTIFICATION

#### POTENTIAL HEALTH EFFECTS:

<u>Methoxypropanol</u> is an irritant to skin, eyes and respiratory passages. Overexposure may cause drowsiness, anesthetic or narcotic effects. Kidney and liver effects were observed in laboratory animals. Effects on reproduction are seen in laboratory animals only at doses that cause maternal toxicity.

ROUTE(S) OF ENTRY..........: Skin and eye contact with liquid and inhalation of vapor or mist.

#### CARCINOGENICITY:

NTP.....: No IARC....: No OSHA....: No

# 4. FIRST AID MEASURES:

SKIN...... Remove contaminated clothing and shoes. Wash with soap or mild detergent and large amounts of water. Do not use solvents or thinners.

EYES....... Hold eyes open and flush for at least 15 minutes with large amounts of water. Consult physician if irritation occurs.

INGESTION.: Do not induce vomiting. Give two glasses of water to dilute stomach contents. Never give anything by mouth to an unconscious person. Consult physician immediately.

INHALATION: Remove to fresh air immediately. If breathing is difficult administer oxygen. Consult physician if irritation of respiratory passage occurs.

### 5. FIRE FIGHTING MEASURES

FLASH POINT..... 194 °F (90°C)

EXTINGUISHING MEDIA...Alcohol foam, carbon dioxide, dry powder, or water spray.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus and full protective clothing.

### 6. ACCIDENTAL RELEASE MEASURES:

SPILL AND LEAK PROCEDURES: Contain spills onto inert absorbent and place in suitable containers.

### 7. HANDLING AND STORAGE

STORAGE: Store closed containers in cool, dry area away from heat, direct sunlight, oxidizing agents, and strong acids and alkalis.

HANDLING: Avoid skin and eye contact. Do not eat, drink or smoke in area.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use in a well ventilated area.

RESPIRATORY PROTECTION: Not required.

SKIN PROTECTION: Clothing suitable to prevent skin contact.

Use butyl rubber gloves. Check suitability recommendations by protective equipment manufacturers, especially towards chemical breakthrough resistance.

EYE PROTECTION: Safety goggles with side shields.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: ..... Liquid

ODOR: ..... Characteristic of solvent

PH NA

BOILING POINT: ...... 1790-250 °F (80-120°C)

AUTOIGNITION >570 °F (300°C)
VAPOR PRESSURE: Not available
DENSITY: -1 g/ml(25 °C)

SOLUBILITY IN WATER Soluble

### 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, and other potentially toxic fumes.

POLYMERIZATION: Will not occur under regular conditions of use.

INCOMPATIBILITIES: Avoid strong acids, bases, and oxidizing agents.

# 11. TOXICOLOGICAL INFORMATION

See Section 3 - Human Effects and Symptoms of Overexposure

# 12. ECOLOGICAL INFORMATION

Avoid contamination of ground water or waterways. Do not discharge into sewers.

### 13. DISPOSAL CONSIDERATIONS

Incinerate or dispose of in accordance with Federal, State or Local regulations.

#### 14. TRANSPORT INFORMATION

DOT SHIPPING NAME Not regulated.

#### 15. REGULATORY INFORMATION

All components of this product are on the TSCA Inventory.

#### SARA Title III:

To the best of our knowledge this product contains **no** toxic chemicals subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 372.

**Note:** Entries under this section cover only those regulations typically addressed in the MSDS generating process, such as, TSCA, and EPCRA/SARA Title III.

### 16. OTHER INFORMATION

HAZCOM LABEL: CAUTION: IRRITANT TO SKIN, EYES AND RESPIRATORY PASSAGES. HARMFUL IF SWALLOWED.

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

 $\overline{N/A}$  = Not applicable N/D = Not determined N/E = Not established