



MATERIAL SAFETY DATA SHEET

**PRODUCT NAME: FLAME RETARDANT
CP09**

SECTION 1: PRODUCT INFORMATION

Distributed By: Bridgepoint Systems, 542 West Confluence Ave, Salt Lake City, Utah 84123
Company Phone Number: 801-261-1282
Emergency Phone Number: 1-800-535-5053 (Infotrac)
Date Prepared: 4-9-05 c

Hazard Rating (Zero=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)
Fire: 0 Health: 1 Reactivity: 0

SECTION 2: INGREDIENTS

PRINCIPLE HAZARDOUS INGREDIENTS :

None

SECTION 3: PHYSICAL DATA

Boiling Point (°F).....212o	Specific Gravity(H ₂ O=1).....1.07
Vapor Pressure (mmHg.).....N/A	Percent Volatile by Volume...N/A
Vapor Density (AIR=1).....N/A	PH (1% Solution).....6.4
Solubility in Water.....Complete	
Appearance & Odor.....Colorless odorless liquid	

SECTION 4: FIRE, EXPLOSION & REACTIVITY DATA

Flash Point: Non flammable
Extinguishing Media: Appropriate for surrounding material involved in fire
Special Fire Fighting Procedures: None
Unusual Fire and Explosion Hazards: None
Stability: Stable
Chemical Incompatibility: Alkalies
Hazardous Decomposition or Byproducts: Will liberate ammonia at high temperatures
Hazardous Polymerization: Will not occur
Conditions to Avoid: Only as indicated above

SECTION 5: HEALTH HAZARD INFORMATION

Route(s) of entry Eyes? yes Skin? no Inhalation? yes Ingestion? yes
Health Hazards: Eyes - May cause mild irritation
 Skin - Prolonged contact may cause irritation
 Inhalation - May cause irritation
 Ingestion - May cause irritation
Carcinogenicity: NTP? no OSHA? no IARC Monograph? no

SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

Eyes..... Flush with water for 15 minutes. Get medical attention if irritation occurs
Skin..... Wash with soap and water. Get medical attention if irritation occurs
Inhalation.. Remove to fresh air. Get medical attention if irritation occurs
Ingestion... If conscious, give 2 glasses of water. Do not induce vomiting. Get medical attention.

SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE

Respiratory Protection... NIOSH TC-23C for ammonia + dust & mist prefilter
Protective Clothing..... Coveralls & goggles
Ventilation..... Mechanical ventilation recommended in enclosed areas.
Storage..... Keep containers closed.

SECTION 8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

Do not allow to enter watercourse or sewers. Use chemical absorbent material and sweep up. For large spills, contain and collect for reuse or disposal. **All disposal must be in accordance with all federal, state and local regulations.**

While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A = Not applicable N/D = Not determined N/E = Not established