

MSDS Material Safety Data Sheet

Prochem

PROCHEM
#1 FOR A REASON!

Fiber Buff

MSDS Number: B162

Revision Date: February 18, 2009

Page 1 of 4

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PROCHEM
Kärcher North America
325 S. Price Road
Chandler, AZ 85224

Contact: Prochem
Telephone Number: 480-899-7000
FAX Number: 480-786-9538
E-Mail: info@prochem.com
Web: www.prochem.com

Product Name: Fiber Buff
Revision Date: February 18, 2009
MSDS Number: B162

Emergency Telephone: (800) 535-5053 [Infotrac]

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes; Skin; Inhalation; Ingestion;
Target Organs: Eyes; Skin;
Inhalation: Inhalation of the dust may cause coughing and sneezing.
Skin Contact: No more than slightly toxic or slightly irritating based on toxicity studies. Prolonged contact with the dry powder may cause drying or chapping of the skin.
Eye Contact: No more than slightly irritating based on toxicity studies. The dry powder may cause foreign body irritation in some individuals.
Ingestion: Is not toxic if swallowed based on toxicity studies. No significant adverse health effects are expected to develop if only small amounts (less than a mouthful) are swallowed. Swallowing large amounts may cause abdominal discomfort and diarrhea.

HMIS III-ratings (scale 0-4): Health = 1, Fire = 0, Physical Hazard = 0

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Perc.	Chemical Name
-------	-------	---------------

This product contains no hazardous components as defined under the criteria of the Federal OSHA Hazardous Communication Standard 29 CFR 1910.1200

OSHA Regulatory Status:

This MSDS contains valuable information critical to the safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.

Fiber Buff

MSDS Number: B162

Revision Date: February 18, 2009

Page 2 of 4

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air.
Skin Contact: Wash with soap and water.
Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.
Ingestion: Immediate first aid is not likely to be required. A physician or Poison Control Center can be contacted for advice.

5 FIRE FIGHTING MEASURES

Flash Point: Not Combustible
Wear self contained breathing apparatus and other protective clothing. Use any standard agent - choose the one most appropriate for type of surrounding fire.

6 ACCIDENTAL RELEASE MEASURES

In case of spill, sweep, scoop or vacuum all material, contaminated soil and other contaminated material and place in a clean, dry container for removal. If possible, complete cleanup on a dry basis. After all partial dry cleanup has been done, residual contamination can be flushed with plenty of water.

7 HANDLING AND STORAGE

Handling Precautions: Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of material from eyes, skin and clothing.
Storage Requirements: Store in a cool, dry place to maintain product performance.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Normal room ventilation is satisfactory for limited use. Avoid breathing dust.
Protective Equipment: HMIS PP, X | Consult your supervisor for special instructions

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White	Boiling Point:	N/D
Physical State:	Powder	Freezing/Melting Pt.:	N/D
Odor:	None	Solubility:	Soluble
pH:	4.6	Spec Grav./Density:	N/A
Vapor Pressure:	N/D		
Vapor Density:	N/D		

Fiber Buff

MSDS Number: B162

Revision Date: February 18, 2009

Page 3 of 4

10 STABILITY AND REACTIVITY

Stability:	Product is stable under normal conditions.
Conditions to avoid:	None Known
Materials to avoid (incompatibility):	None Known
Hazardous Decomposition products:	Exposure to fire may liberate carbon dioxide, carbon monoxide, organic acids, and other unidentified thermal decomposition products from this product or its packaging.
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

The dry powder may cause foreign body irritation in some individuals. Prolonged contact with the dry powder may cause drying or chapping of the skin. Excessive inhalation of dust may be annoying and can mechanically impede respiration.

12 ECOLOGICAL INFORMATION

Refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting information.

13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

14 TRANSPORT INFORMATION

Refer to bill of lading or container label for DOT or other transportation hazard classification; ship in accordance with 49 CFR parts 100-185.

15 REGULATORY INFORMATION

All ingredients for this product are listed on the TSCA inventory.
DSL inventory: Listed
SARA Title III chemicals: None
California Prop 65 chemicals: None
CERCLA reportable quantity: None

MSDS *Material Safety Data Sheet*

Prochem

PROCHEM
#1 FOR A REASON!

Fiber Buff

MSDS Number: B162

Revision Date: February 18, 2009

Page 4 of 4

16

OTHER INFORMATION

This document is prepared in accordance with 29 CFR 1910.1200. The purpose of this section is to ensure that the hazards of all chemicals produced or imported are evaluated, and that information concerning their hazards is transmitted to employers and employees.

All information appearing herein is based upon data obtained from the raw material manufacturer and/or recognized technical sources. While the information above is believed to be true and accurate, the author makes no representations as to its accuracy or sufficiency. Conditions of use are beyond the manufacturer's control; therefore the users are responsible to verify this data under their own particular conditions, applications and regulations to determine if the product is suitable for their particular purposes. The users assume all risks of product use, handling, disposal, reliance upon, publication or use of the information contained herein. This information applies only to the product designated above and does not necessarily apply to its use in combination with other materials, products, chemical compounds, structures or processes.

Prepared by: EHS Manager

Phone Number: [480] 899-7000

END OF MSDS DOCUMENT