



Material Safety Data Sheet

1. Chemical Product & Company Data

| | |
|---|-----------|
| Product Name: Allerx (series) * see Section 2 * | |
| Manufacturer: II Rep-Z, Inc. 4660 Elizabeth Street Coraopolis, PA 15108 Telephone: 1-412-264-8340 | Supplier: |

2. Ingredients

| Name | CAS # | UN # | % by volume |
|---------------|---------|------|-------------|
| Ethyl Alcohol | 64-17-5 | | 1-5 |

3. Hazards Identification

| Emergency Overview |
|---|
| Combustible Liquid. May cause severe eye irritation. |
| NOTE: Hazard information is based on the characteristics of the components of this mixture. Ingestion - May cause abdominal discomfort, nausea, vomiting and diarrhea. Drowsiness or unconsciousness may occur. Inhalation - Low concentration of vapor may cause irritation of the respiratory tract with possible chest pain and coughing. High concentrations may cause headache and drowsiness. Eye Contact - Causes severe eye irritation and possible corneal injury. Skin Contact - Prolonged contact may cause discomfort, redness, drying and defatting of the skin. |

4. First Aid

| |
|---|
| Ingestion - If patient is conscious give two glasses of water. Do not induce vomiting. Seek medical attention immediately. Inhalation - Remove to fresh air. Administer artificial respiration if not breathing. Eye Contact - Flush eyes with water for 15 minutes. Seek immediate medical attention. Skin Contact - Remove contaminated clothing. Wash skin with soap and water. Obtain medical attention if irritation persists. |
|---|

Allerx

5. Fire Fighting Measures

| | | |
|--|--|---|
| Flammability Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | If yes, under which conditions? | Combustible liquid. Potential fire hazard when exposed to excessive heat, flame or other sources of ignition. |
| Flashpoint: 147 °F (63.8 °C) | Upper flammable limit % by volume n. av. | Lower flammable limit % by volume n. av. |
| Autoignition temperature n. av. | Hazardous combustion products Carbon monoxide and/or carbon dioxide | Explosion data n. ap. |
| Means of extinction: Apply alcohol type or all purpose foam for large fires. Use dry chemical media or carbon dioxide extinguishers for small fires. SCBA and bunker gear for fire department personnel. | | |

6. Accidental Release Measures

| |
|---|
| <p>Eliminate all sources of ignition.</p> <p>Wear personal protective equipment.</p> <p>Do not allow spill to reach watercourse or sewers.</p> <p>Contain spill with absorbent mats or booms or inert materials such as sand. Material should be readily available in the workplace.</p> <p>Collect and store waste materials in suitable containers for disposal i.e. metal drums.</p> |
|---|

7. Handling & Storage

| |
|--|
| <p>Extinguish all sources of ignition in the work area. If the product is stored in metal containers the container must be grounded and bonded prior to dispensing the liquid. To prevent vapor escaping to the atmosphere keep all containers closed or covered. The product should be stored in a separate room equipped for flammable liquid storage or small volumes may be stored in a flammable liquid cabinet. Eyewash stations are required in the workplace. If eye irritation is encountered the use of a full facepiece respirator is recommended. Mechanical ventilation is recommended in enclosed workspaces. Area should be evacuated of all non essential personnel prior to application of product.</p> |
|--|

8. Exposure Controls & Personal Protection

| Personal Protective Equipment | | |
|---|---|--|
| Gloves Natural Rubber | Respirator NIOSH TC-23C organic vapor respirator or equivalent | Eye Goggles or full face respirator |
| Footwear n. ap. | Clothing Coveralls or equivalent | Other n. ap. |
| Exposure Guidelines | | |
| <p>EFFECTS OF OVEREXPOSURE</p> <p>No information found for human exposure. Based on the available animal toxicity information for this and similar products, it is anticipated that direct contact with this material will produce severe skin or eye irritation. Upon prolonged contact, burns and possible irreversible damage may occur. Solvent vapors or mists of products can cause irritation of mucous membranes. Exposure to Ethanol concentrations of over 1,000 ppm may cause headache, irritation of the eyes, nose and throat, and, if long continued, drowsiness, loss of appetite and inability to concentrate.</p> | | |

9. Physical and Chemical Properties

| | | |
|---|---------------------------------|--|
| Physical state Liquid | Odor and appearance Clear | |
| Odor threshold (ppm) n. av. | Vapor pressure (mm Hg) < 5 | Vapor density (Air=1) n. av. |
| Evaporation rate (butyl acetate = 1) n.av. | Boiling point 202 °F (95 °C) | Freezing point n. av. |
| pH 5.98 | Specific gravity 0.997 | Coefficient water/oil distribution n. av. |
| Solubility in water 100% | Viscosity 11 cps | % Volatiles (by weight) n. av. |

10. Stability and Reactivity

| | |
|--|--|
| Chemical Stability Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | If no, under which conditions? |
| Incompatibility with other substances Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | If yes, under which conditions? Avoid strong oxidizing agents. |
| Reactivity, and under what conditions? Stable under normal conditions. | |
| Hazardous decomposition products? Carbon monoxide and/or carbon dioxide as combustion by-products. | |

11. Toxicological Information

| | | | |
|--|---------------------|----------------------|--------------------------------|
| Route of Entry Skin Contact <input checked="" type="checkbox"/> Skin Absorption <input type="checkbox"/> Eye Contact <input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/> Ingestion <input checked="" type="checkbox"/> | | | |
| No toxicity studies have been conducted for the product. | | | |
| Carcinogenicity No | Mutagenicity No | Teratogenicity No | Reproductive toxicity No |
| Synergistic products No | Sensitization No | Neurotoxicity No | Target organs Eyes and Skin |

12. Ecological Information

| |
|--|
| |
|--|

13. Disposal Considerations

Do not dispose of product in storm or sanitary sewer systems.
Do not allow discharge into groundwater or a watercourse.
If product is to be disposed of, contact a licensed or registered waste disposal firm to incinerate the product.

14. Transport Information

Shipping Name: NOT REGULATED

Hazard Class:

UN Identification #:

*NOT REGULATED FOR GROUND SHIPMENTS OF 119 GALLONS OR LESS.

15. Regulatory Information

This material safety data sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Hazardous Products Act (Can.) and the Controlled Products Regulations (Can.) This product has been classified in accordance with the hazard criteria of the CPR (Can.) and the MSDS contains all the information required by the CPR (Can.).

This product is classed as a **skin and eye irritant** - 29 CFR 1910.1200 and Controlled Products Regulations (Can.)

WHMIS classification **B3 D2B**

This product is not subject to the reporting requirement of Section 313 of Title III of Superfund Amendments and Reauthorization Act (SARA) 1986 and 40 CFR part 372.

16. Other Information

For chemical emergency during transportation call INFOTRAC (US) **1-800-535-5053** (INT'L) **1-352-323-3500**

Prepared by: II Rep-Z, Inc., Coraopolis, PA / Cliff Zlotnik

Phone No: 1-412-264-8340

Date: May 16, 2005

Abbreviations:

n. av. = not available

mm Hg = millimeters of Mercury

COC = Cleveland Open Cup

LD = Lethal Dose

n. ap. = not applicable

PMCC = Pensky Martens Closed Cup

TWA = Time Weighted Average

LC = Lethal Concentration

ppm = parts per million

TCC = Tagliabue Closed Cup

STEL = Short Term Exposure Limit

CS = centistokes