

Material Safety Data Sheet

1. Chemical Product & Company Data

Product Name: Liqui-Zone™	
Manufacturer:	Supplier:
ProRestore Products 4660 Elizabeth Street Coraopolis, PA 15108 Telephone: 1-412-264-8340	

2. Ingredients

Name	CAS#	UN#	% by volume
Chlorine dioxide (stabilized)	10049-04-4		1-5

3. Hazards Identification

Emergency Overview Skin and eye irritant.

NOTE: Hazard information is based on the characteristics of the components of this mixture.

Ingestion - May irritate mouth and upper gastrointestinal tract.

Inhalation - Low concentration of the vapor may cause irritation of the respiratory tract.

Eye Contact - Causes mild eye irritation.

Skin Contact - Prolonged contact may irritate the skin.

4. First Aid

Ingestion - If patient is conscious give two glasses of water. Do not induce vomiting. Seek medical attention immediately.

Inhalation - Remove to fresh air. Administer artificial respiration if not breathing. If irritation develops, seek medical attention.

Eye Contact - Flush eyes with water for 15 minutes. Seek medical attention.

Skin Contact - Remove contaminated clothing. Wash skin with soap and water. Obtain medical attention if irritation persists.

Liqui-Zone

5. Fire Fighting Measures

Flammability Yes No X	If yes, under which conditions?	
Flashpoint: > 200 °F (93.3 °C)	Upper flammable limit % by volume	Lower flammable limit % by volume
Autoignition temperature	Hazardous combustion products	Explosion data
Means of extinction:		

6. Accidental Release Measures

Wear personal protective equipment.

Contain spill with absorbent mats or booms or inert materials such as sand. Material should be readily available in the workplace. Do not allow spill to reach watercourse or sewers.

Collect and store waste materials in suitable containers for disposal i.e. closed polyethylene drums.

Do not allow product to evaporate to dryness. Keep away from paper rags or other oxidizable material.

Flush area well with water after clean up.

7. Handling & Storage

Store away from oxidizers, reducing agents acids or combustible materials.

Use personal protective equipment.

Should product be spilled on clothing rinse well to remove product.

Do not allow to evaporate to dryness on paper rags or other oxidizable material.

Local exhaust may be required in some operations.

8. Exposure Controls & Personal Protection

		Personal Pro	otective Equip	oment	
Gloves Natural Rubber		Respirator NIOSH TC-23C organic vapor respira- tor or equivalent		respira-	Eye Goggles or full face respirator
Footwear n. ap.		Clothing Coveralls or equivalent			Other n. ap.
Exposure Guidelines					
none established for product					
		OSHA		,	ACGIH
		TWA	STEL	TWA	STEL
	Chlorine Dioxide Chlorine	0.1 ppm 0.5 ppm	0.3 ppm 1.0 ppm	0.1 ppm 0.5 ppm	

Liqui-Zone

9. Physical and Chemical Properties

Physical state Liquid	Odor and appearance Clear pale yellow liquid, chlorine odor	
Odor threshold (ppm) (chlorine) 0.01 ppm	Vapor pressure (mm Hg) n. av.	Vapor density (Air=1) n. av.
Evaporation (butyl acetate = 1) n. av.	Boiling point 213 °F (101 °C)	Freezing point n. av.
pH 6.4	Specific gravity 1.1	Coefficient water/oil distribution n. av.
Solubility in water 100%	Viscosity n. av.	% Volatiles (by weight) 99%

10. Stability and Reactivity

Chemical Stability Yes X No	If no, under which conditions?			
Incompatibility with other substances Yes X No	If yes, under Avoid contact with acids, chlorine, organic materials, reducing agents, oxidizers.			
Reactivity, and under Do not allow product to dry on cloth due to possibility of fire from oxidation. what conditions?				
Hazardous decom- Chlorine gas. position products?				

11. Toxicological Information

Route of Entry Skin Contact X Sk	in Absorption Eye Co	ntact X Inhalation X	Ingestion X
No toxicity studies have been Chlorine dioxide LD50 (r	conducted for the product. at, oral) 1550 mg/kg (5% chlori	ne dioxide solution)	
Carcinogenicity	Mutagenicity	Teratogenicity	Reproductive toxicity
No	No	No	No
Synergistic products	Sensitization	Neurotoxicity	Target organs
No	No	No	Eyes and Skin

12. Ecological Information

n av	
TII. av.	

Liqui-Zone

13. Disposal Considerations

Do not dispose of product in storm or sanitary sewer systems.

Do not allow discharge into groundwater or a watercourse.

If product is to be disposed of, contact a licensed or registered waste disposal firm.

Rinse empty containers with water prior to disposing. Dispose of to landfill or recycle.

14. Transport Information

Shipping Name: NOT REGULATED

Hazard Class: UN Identification #:

15. Regulatory Information


This material safety data sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Hazardous Products Act (Can.) and the Controlled Products Regulations (Can.) This product has been classified in accordance with the hazard criteria of the CPR (Can.) and the MSDS contains all the information required by the CPR (Can.).

This product is classed as a skin and eye irritant - 29 CFR 1910.1200 and Controlled Products Regulations (Can.)

WHMIS classification D2B

This product is not subject to the reporting requirement of Section 313 of Title III of Superfund Amendments and Reauthorization Act (SARA) 1986 and 40 CFR part 372.

16. Other Information



Abbreviations:

n. av. = not available mm Hg = millimeters of Mercury COC = Cleveland Open Cup LD = Lethal Dose n. ap. = not applicable

PMCC = Pensky Martens Closed Cup

TWA = Time Weighted Average

LC = Lethal Concentration

ppm = parts per million
TCC = Tagliabue Closed Cup
STEL = Short Term Exposure Limit
CS = centistokes