



Material Safety Data Sheet

1. Chemical Product & Company Data

Product Name: Unsmoke Un-Wet CPDL	
Manufacturer: II Rep-Z, Inc. 4660 Elizabeth Street Coraopolis, PA 15108 Telephone: 1-412-264-8340	Supplier:

2. Ingredients

Name	CAS #	UN #	% by volume
An oxygenated hydrocarbon in which a portion of the free organic acid produced by oxidation is neutralized with calcium and blended with a minor amount of calcium petroleum sulfonate.	n. av.		5-25
Blended synthetic isoparrifinic hydrocarbon	64742-47-8		60-100

3. Hazards Identification

Emergency Overview
Combustible liquid.
NOTE: Hazard information is based on the characteristics of the components of this mixture. Ingestion - May cause abdominal discomfort, nausea, vomiting and diarrhea. Inhalation - High concentrations of vapor may cause irritation of respiratory tract. Eye Contact - Causes slight eye irritation. Skin Contact - Prolonged contact may irritate the skin.

4. First Aid

Ingestion - If patient is conscious give two glasses of water. Do not induce vomiting. Seek medical attention immediately. Inhalation - Remove to fresh air. Administer artificial respiration if not breathing. Eye Contact - Flush eyes with water for 15 minutes. Seek medical attention if irritation persists. Skin Contact - Remove contaminated clothing. Wash skin with soap and water. Obtain medical attention if irritation persists.
--

Unsmoke Un-Wet CPDL

5. Fire Fighting Measures

Flammability Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	If yes, under which conditions?	Combustible liquid. Potential fire hazard when exposed to excessive heat, flame or other sources of ignition.
Flashpoint: 183 °F (83.8 °C)	Upper flammable limit % by volume 5.0	Lower flammable limit % by volume 0.7
Autoignition temperature 638.6 °F (337 °C)	Hazardous combustion products Carbon monoxide and/or carbon dioxide	Explosion data n. ap.
Means of extinction: Apply alcohol type or all purpose foam for large fires. Use dry chemical media or carbon dioxide extinguishers for small fires. SCBA and bunker gear for fire department personnel.		

6. Accidental Release Measures

<p>Eliminate all sources of ignition.</p> <p>Wear personal protective equipment.</p> <p>Do not allow spill to reach watercourse or sewers.</p> <p>Contain spill with absorbent mats or booms or inert materials such as sand. Material should be readily available in the workplace.</p> <p>Collect and store waste materials in suitable containers for disposal (i.e., metal drums).</p>
--

7. Handling & Storage

<p>Extinguish all sources of ignition in the work area. If the product is stored in metal containers, the containers must be grounded and bonded prior to dispensing the liquid. To prevent vapor escaping to the atmosphere, keep all containers closed or covered. The product should be stored in a separate room equipped for flammable liquid storage or small volumes may be stored in a flammable liquid storage cabinet. Eyewash stations are required in the workplace. If eye irritation is encountered the use of a full facepiece respirator is recommended. Mechanical ventilation is recommended in enclosed workspaces. Area should be evacuated of all non-essential personnel prior to application of the product.</p>

8. Exposure Controls & Personal Protection

Personal Protective Equipment		
Gloves Neoprene	Respirator NIOSH TC-23C for organic vapors or equivalent.	Eye Goggles or full face respirator
Footwear n. ap.	Clothing Coveralls or equivalent	Other n. ap.
Exposure Guidelines		
none established for product		

Unsmoke Un-Wet CPDL

9. Physical and Chemical Properties

Physical state Liquid	Odor and appearance Brown liquid, sweet odor	
Odor threshold (ppm) n. av.	Vapor pressure (mm Hg) 77 °F (25 °C) < 1	Vapor density (Air=1) > 1
Evaporation (butyl acetate = 1) < 1	Boiling point > 302 °F (150 °C)	Freezing point n. av.
pH n. ap.	Specific gravity @ 60 °F (15.6 °C) 0.91 - 0.95	Coefficient water/oil distribution n. av.
Solubility in water nil	Viscosity @ 77 °F (25 °C) 3 cs	% Volatiles (by weight) n. av.

10. Stability and Reactivity

Chemical Stability Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	If no, under which conditions?
Incompatibility with other substances Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	If yes, under which conditions? Avoid strong oxidizing agents.
Reactivity, and under what conditions?	
Hazardous decomposition products? Carbon monoxide, undefined organics, oxides of carbon, and oxides of carbon and oxides of sulfur.	

11. Toxicological Information

Route of Entry Skin Contact <input checked="" type="checkbox"/> Skin Absorption <input type="checkbox"/> Eye Contact <input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/> Ingestion <input checked="" type="checkbox"/>			
Fume limit 2 mg/m ³ based on TLV for paraffin wax fume. No toxicity studies have been conducted for this product.			
Carcinogenicity No	Mutagenicity No	Teratogenicity No	Reproductive toxicity No
Synergistic products No	Sensitization No	Neurotoxicity No	Target organs No

12. Ecological Information

n. av.

Unsmoke Un-Wet CPDL

13. Disposal Considerations

Do not dispose of product in storm or sanitary sewer systems. Do not allow discharge into groundwater or a watercourse. If product is to be disposed of, contact a licensed or registered waste disposal firm to incinerate the product.

14. Transport Information

Shipping Name:

Hazard Class:

UN Identification #:

Note: In containers of 119 gallons (US) capacity or less this product is not regulated by D.O.T.

15. Regulatory Information

This material safety data sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Hazardous Products Act (Can.) and the Controlled Products Regulations (Can.) This product has been classified in accordance with the hazard criteria of the CPR (Can.) and the MSDS contains all the information required by the CPR (Can.).

This product is classed as a **combustible** - 29 CFR 1910.1200 and Controlled Products Regulations (Can.)

WHMIS classification **B3**

This product is not subject to the reporting requirement of Section 313 of Title III of Superfund Amendments and Reauthorization Act (SARA) 1986 and 40 CFR part 372.

16. Other Information

This product is a commercial corrosion inhibitor, moisture displacement agent and lubricant.

For chemical emergency during transportation call INFOTRAC (US) **1-800-535-5053** (INT'L) **1-352-323-3500**

Prepared by: II Rep-Z, Inc., Coraopolis, PA / Cliff Zlotnik

Phone No: 1-412-264-8340

Date: May 16, 2005

Abbreviations:

n. av. = not available

mm Hg = millimeters of Mercury

COC = Cleveland Open Cup

LD = Lethal Dose

n. ap. = not applicable

PMCC = Pensky Martens Closed Cup

TWA = Time Weighted Average

LC = Lethal Concentration

ppm = parts per million

TCC = Tagliabue Closed Cup

STEL = Short Term Exposure Limit

CS = centistokes